

ECBT2.E119708

Connectors for Use in Data, Signal, Control and Power Applications - Component

[Page Bottom](#)

Connectors for Use in Data, Signal, Control and Power Applications - Component

[See General Information for Connectors for Use in Data, Signal, Control and Power Applications - Component](#)**OUPH ENTERPRISE CO LTD**

E119708

302 CHANG HSING RD

PAR DER, TAOYUAN HSIEN 334 TAIWAN

Connectors, "Series 3212", Model(s) 3212, followed by 20, 26, 32, 34, 40, 50, 52, 60, 68, 80 or 100, followed by C or G, followed by 00S, followed by B or Y, followed by 1, 2 or 3, followed by A.

Connectors, "Series 1001", Model(s) 1001, followed by 10, 14, 16, 20, 24, 26, 30, 34, 40, 50, 60 or 64, followed by C or G, followed by 00, followed by B or Y, followed by 1 or 2, followed by NB or blank, followed by A.

Connectors, "Series 1101", Model(s) 1101, followed by 10, 14, 16, 18, 20, 22, 24, 26, 30, 34, 40, 44, 50, 60 or 68, followed by C00B, followed by 1 or 2, followed by WB or blank, followed by A.

Connectors, "Series 1202", Model(s) 1202, followed by 20, 26, 32, 34, 40, 50, 52, 60, 68 or 80, followed by G00, followed by B or Y, followed by 1 or 2, followed by A.

Connectors, "Series 1203", Model(s) 1203, followed by 20, 26, 32, 34, 40, 50, 52, 60, 68, 80 or 100, followed by G, followed by 00, 10, 15 or 30, followed by B2A.

Connectors, "Series 2011", Model(s) 2011, followed by 1X, 2X or 3X, followed by 02 thru 40, followed by G or T, followed by 00, followed by S, R, L, L1, L2 or L3, followed by B.

Connectors, "Series 2216", Model(s) 2216, followed by 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98 or 100, followed by C or G, followed by 00, followed by S, D or R, followed by P, N or L, followed by 1, 2 or 3, followed by U or T, followed by M, P or blank.

Connectors, "Series 2242", Model(s) 2242, followed by 2X, followed by 03 thru 50, followed by C or G, followed by 00, followed by S or D, followed by 1 or 2, followed by U or T, followed by M, P or blank.

Connectors, "Series 2243", Model(s) 2243, followed by 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98 or 100, followed by C or G, followed by 00, followed by S or D, followed by P, N or L, followed by 1, 2 or 3, followed by U or T, followed by M, P or blank.

Connectors, "Series 3011", Model(s) 3011, followed by 10, 14, 16, 20, 26, 34, 40, 50, 60 or 64, followed by G, C or T, followed by 00, followed by S, R or W, followed by B or Y, followed by 1, 2 or 3, followed by A.

Connectors, "Series 3012", Model(s) 3012, followed by 10, 14, 16, 20, 26, 34, 40, 50, 60 or 64, followed by G, C or T, followed by 00, followed by S, R or W, followed by B or Y, followed by A.

Connectors, "Series 3205 or 3215", Model(s) 3205 or 3215, followed by 20, 26, 32, 34, 40, 50, 52, 60, 68, 80 or 100, followed by C or G, followed by 00S, followed by B or Y, followed by A.

Connectors, "Series 3213", Model(s) 3213, followed by 20, 26, 32, 34, 40, 50, 52, 60, 68, 80 or 100, followed by C or G, followed

by 00, followed by R or S, followed by B or Y, followed by 1, 2 or 3, followed by A.

Connectors, "Series 3214", Model(s) 3214, followed by 20, 26, 32, 34, 40, 50, 52, 60, 68, 80 or 100, followed by C or G, followed by 00, followed by R or S, followed by B or Y, followed by A.

Connectors, "Series 7901", Model(s) 7901, followed by 09, 15, 25 or 37, followed by M or F, followed by P, M, Z or N, followed by O, I, N or M, followed by U, B or Y, followed by C00, C05, C10, C15, C20, C30 or G00, followed by A .

Connectors, "Series 8921", Model(s) 8921-P3/OP1A, 8921-P3/OP2A, 8921-P3A/OP3A

Connectors, Model(s) 0080-15TA

Connectors, Model(s) 9001, followed by 1, followed by 1 or 3, followed by 150, followed by 1 or 2, followed by C or G, followed by 00, 10, 15 or 30, followed by A.

Connectors, Model(s) 9001, followed by 1, followed by 5 or 8, followed by 16, 30, 32 or 48, followed by 1, followed by C or G, followed by 00, 10, 15 or 30, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 1, followed by 6 or 7, followed by 10, 16, 20, 30, 32 or 48, followed by 1, 2, W1 or W2, followed by C or G, followed by 00, 10, 15 or 30, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 11, followed by 32, 64 or 96, followed by 1, followed by C or G, followed by 00, 10, 15 or 30, followed by L1 or blank, followed by A

Connectors, Model(s) 9001, followed by 12, followed by 32, 64 or 96, followed by 1, 2, W1 or W2, followed by C or G, followed by 00, 10, 15 or 30, followed by P or blank, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 13, followed by 32, 40, 64, 80, 96 or 120, followed by 1, 2, W1 or W2, followed by C or G, followed by 00, 10, 15 or 30, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 14, followed by 32, 64 or 96, followed by 1, followed by C or G, followed by 00, 10, 15 or 30, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 141501, followed by C or G, followed by 00, 10, 15 or 30, followed by A.

Connectors, Model(s) 9001, followed by 2, followed by 5 or 8, followed by 8, 15, 16 or 24, followed by 1, followed by C or G, followed by 00, 10, 15 or 30, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 2, followed by 6 or 7, followed by 5, 8, 10, 15, 16 or 24, followed by 1, 2, W1 or W2, followed by C or G, followed by 00, 10, 15 or 30, followed by P or blank, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 21, followed by 16, 32 or 48, followed by 1, followed by C or G, followed by 00, 10, 15 or 30, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 22, followed by 16, 32 or 48, followed by 1, 2, W1 or W2, followed by C or G, followed by 00, 10, 15 or 30, followed by P or blank, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 23, followed by 16, 20, 32, 40, 48 or 60, followed by 1, 2, W1 or W2, followed by C or G, followed by 00, 10, 15 or 30, followed by P or blank, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 24, followed by 18, 32 or 48, followed by 1, followed by C or G, followed by 00, 10, 15 or 30, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 31, followed by 32 or 64, followed by 1, followed by C or G, followed by 00, 10, 15 or 30, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 32, followed by 32 or 64, followed by 1, 2, W1 or W2, followed by C or G, followed by 00, 10, 15 or 30, followed by P or blank, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 33, followed by 32 or 64, followed by 1, 2, W1 or W2, followed by C or G, followed by 00, 10, 15 or 30, followed by L1 or blank, followed by A, 10, 15 or 30, followed by P or blank, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 34, followed by 32 or 64, followed by 1, followed by C or G, followed by 00, 10, 15 or 30, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 35, followed by 16, 20 or 32, followed by 1, followed by C or G, followed by 00, 10, 15 or 30, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 36, followed by 16, 20 or 32, followed by 1, 2, W1, or W2, followed by C or G, followed by 00, 10, 15 or 30, followed by P or blank, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 37, followed by 10, 16, 20 or 32, followed by 1, 2, W1, or W2, followed by C or G, followed by 00, 10, 15 or 30, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 38, followed by 16, 20 or 32, followed by 1, followed by C or G, followed by 00, 10, 15 or 30, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 41, followed by 16 or 32, followed by 1, followed by C or G, followed by 00, 10, 15 or 30, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 42, followed by 16 or 32, followed by 1, 2, W1 or W2, followed by C or G, followed by 00, 10, 15 or 30, followed by P or blank, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 43, followed by 16 or 32, followed by 1, 2, W1 or W2, followed by C or G, followed by 00, 10, 15 or 30, followed by P or blank, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 44, followed by 16 or 32, followed by 1, followed by C or G, followed by 00, 10, 15 or 30, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 45, followed by 8, 10 or 16, followed by 1, followed by C or G, followed by 00, 10, 15 or 30, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 46, followed by 8, 10 or 16, followed by 1, 2, W1, or W2, followed by C or G, followed by 00, 10, 15 or 30, followed by P or blank, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 47, followed by 5, 8, 10 or 16, followed by 1, 2, W1, or W2, followed by C or G, followed by 00, 10, 15 or 30, followed by P or blank, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 48, followed by 8, 10 or 16, followed by 1, followed by C or G, followed by 00, 10, 15 or 30, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001, followed by 61 or 62, followed by 16, 32 or 48, followed by 1, followed by C or G, followed by 00, 10 or 30, followed by A.

Connectors, Model(s) 9001-5115, followed by 1, followed by A or T, followed by A/A001, A/A002, A/A004, A/A005, A/A007 or A/A008.

Connectors, Model(s) 9001-5115, followed by 1, followed by A or T, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001-5115, followed by 2, followed by A or T, followed by L1 or blank, followed by A., 9001-5115, followed by 3 thru 6, followed by A or T, followed by A., 9001-5215, followed by 1 or 2, followed by A or T, followed by A. .

Connectors, Model(s) 9001-65311, followed by A or C, followed by 00, 10, 15 or 30, followed by A.

Connectors, Model(s) 9001-66311, followed by A or C, followed by 00, 10, 15 or 30, followed by L1 or blank, followed by A.

Connectors, Model(s) 9001-91, followed by 04 or 06, followed by 10, followed by C or G, followed by 00, 10, 15 or 30, followed by DA.

Connectors, Model(s) 9001-91, followed by 16 or 24, followed by 08, followed by C or G, followed by 00, 10, 15 or 30, followed by DA.

Connectors, Model(s) 9001-91, followed by 28 or 42, followed by 06, followed by C or G, followed by 00, 10, 15 or 30, followed by DA.

Connectors, Model(s) 9001-91, followed by 40 or 60, followed by 04, followed by C or G, followed by 00, 10, 15 or 30, followed by DA.

Connectors, Model(s) 9001-91, followed by 52 or 78, followed by 02, followed by C or G, followed by 00, 10, 15 or 30, followed by D, followed by A.

Connectors, Model(s) 9001-92, followed by 04 or 06, followed by 10, followed by 1, 2, W1 or W2, followed by C or G, followed by 00, 10, 15 or 30, followed by D or P, followed by A.

Connectors, Model(s) 9001-92, followed by 16 or 24, followed by 08, followed by 1, 2, W1 or W2, followed by C or G, followed by 00, 10, 15 or 30, followed by D or P, followed by A.

Connectors, Model(s) 9001-92, followed by 28 or 42, followed by 06, followed by 1, 2, W1 or W2, followed by C or G, followed by 00, 10, 15 or 30, followed by D or P, followed by A.

Connectors, Model(s) 9001-92, followed by 40 or 60, followed by 04, followed by 1, 2, W1 or W2, followed by C or G, followed by 00, 10, 15 or 30, followed by D or P, followed by A.

Connectors, Model(s) 9001-92, followed by 52 or 78, followed by 02, followed by 1, 2, W1 or W2, followed by C or G, followed by 00, 10, 15 or 30, followed by D or P, followed by A.

Connectors, Model(s) 9111, followed by 14 or 24, followed by 3B, followed by 001 or 002, followed by G30U.

Connectors, Model(s) 9111, followed by 14 or 24, followed by 4B001G, followed by 10, 15 or 30, followed by U.

Connectors, Model(s) 9111, followed by 41, followed by 24, 48, 72, 96, 120, 144, 168 or 192, followed by A, B, E, F, H, J, K, L, M, N, R, S, T, U or V, followed by C or G, followed by 10, 30 or 50, followed by D or P, followed by U.

Connectors, Model(s) 9111, followed by 41120, followed by C or G, followed 10, 30 or 50, followed by PU, followed by A002 or A003.

Connectors, Model(s) 9111, followed by 41168J, followed by C or G, followed 10, 30 or 50, followed by PUA001.

Connectors, Model(s) 9111, followed by 41192, followed by C or G, followed 10, 30 or 50, followed by DUA002.

Connectors, Model(s) 9111, followed by 41192A, followed by C or G, followed 10, 30 or 50, followed by DUA001.

Connectors, Model(s) 9111, followed by 4124, followed by C or G, followed 10, 30 or 50, followed by DU, followed by A001, A002, A003, A004, A005, A006, A007, A008, A009, A010, A012, A013, A015, A017, A018, A019, A021 or A024.

Connectors, Model(s) 9111, followed by 4124, followed by C or G, followed 10, 30 or 50, followed by PU, followed by A001 thru A011 or A013 thru A042.

Connectors, Model(s) 9111, followed by 4124A, followed by C or G, followed by 10, 30 or 50, followed by DU, followed by A011, A014, A020, A022 or A023.

Connectors, Model(s) 9111, followed by 4124E, followed by C or G, followed by 10, 30 or 50, followed by DUA016.

Connectors, Model(s) 9111, followed by 4148, followed by C or G, followed 10, 30 or 50, followed by DU, followed by A001 thru A004.

Connectors, Model(s) 9111, followed by 4148, followed by C or G, followed 10, 30 or 50, followed by PU, followed by A001 thru A005, A007 or A009 thru A038.

Connectors, Model(s) 9111, followed by 4148A, followed by C or G, followed 10, 30 or 50, followed by DUA005.

Connectors, Model(s) 9111, followed by 4172, followed by C or G, followed 10, 30 or 50, followed by DU, followed by A001 thru A005.

Connectors, Model(s) 9111, followed by 4196, followed by C or G, followed 10, 30 or 50, followed by DU, followed by A002 thru A008.

Connectors, Model(s) 9111, followed by 4196, followed by C or G, followed 10, 30 or 50, followed by PU, followed by A001, A002, A003, A004, A005, A006, A007, A008, A009, A010, A011 or A012, A015, A016, A017, A018.

Connectors, Model(s) 9111, followed by 42, followed by 24, 48, 72, 96, 120, 144, 168 or 192, followed by 1 or 2, followed by C or G, followed 10, 30 or 50, followed by PUA001.

Connectors, Model(s) 9111, followed by 42, followed by 24, 48, 72, 96, 120, 144, 168 or 192, followed by 1 or 2, followed by C or G, followed by 10, 30 or 50, followed by D or P, followed by U.

Connectors, Model(s) 9111, followed by 42192, followed by 1 or 2, followed by C or G, followed 10, 30 or 50, followed by DUA001.

Connectors, Model(s) 9111, followed by 4224, followed by 1 or 2, followed by C or G, followed 10, 30 or 50, followed by DU, followed by A001 thru A004.

Connectors, Model(s) 9111, followed by 4248, followed by 1 or 2, followed by C or G, followed 10, 30 or 50, followed by DU, followed by A001, A002 or A003.

Connectors, Model(s) 9111, followed by 4272, followed by 1 or 2, followed by C or G, followed 10, 30 or 50, followed by DUA001.

Connectors, Model(s) 9111, followed by 4296, followed by 1 or 2, followed by C or G, followed 10, 30 or 50, followed by DU, followed by A001 or A003.

Connectors, Model(s) 9111, followed by 4308, followed by A, B or E, followed by C or G, followed by 10, 30 or 50, followed by D or P, followed by U.

Connectors, Model(s) 9111, followed by 4308, followed by C or G, followed 10, 30 or 50, followed by DU, followed by A001, A002, A007, A008, A009, A010, A012 or A013.

Connectors, Model(s) 9111, followed by 4308, followed by C or G, followed 10, 30 or 50, followed by PU, followed by A001, A002, A004, A005, A006, A007, A008, A009, A010, A011, A012, A013, A014 or A015.

Connectors, Model(s) 9111, followed by 4308A, followed by C or G, followed 10, 30 or 50, followed by DU, followed by A014 or A015.

Connectors, Model(s) 9111, followed by 4408, followed by 1 or 2, followed by C or G, followed by 10, 30 or 50, followed by D or P, followed by U.

Connectors, Model(s) 9111, followed by 4408, followed by 1 or 2, followed by C or G, followed by 10, 30 or 50, followed by DU, followed by A001 or A002.

Connectors, Model(s) 9111, followed by 51, followed by 30, 60, 90, 120, 150, 180, 210, 240, 270, 300, 330, 360 or 390, followed by A, B, E, F, H, J, K, L, M, N, R, S, T, U or V, followed by C or G, followed by 10, 30 or 50, followed by D or P, followed by U.

Connectors, Model(s) 9111, followed by 51120, followed by C or G, followed by 10, 30 or 50, followed by DU, followed by A001, A002, A003 or A005.

Connectors, Model(s) 9111, followed by 51120, followed by C or G, followed by 10, 30 or 50, followed by PU, followed by A001 thru A016.

Connectors, Model(s) 9111, followed by 51150, followed by C or G, followed by 10, 30 or 50, followed by DUA002.

Connectors, Model(s) 9111, followed by 51150, followed by C or G, followed by 10, 30 or 50, followed by PU, followed by A001, A002 or A003.

Connectors, Model(s) 9111, followed by 51150A, followed by C or G, followed by 10, 30 or 50, followed by DUA001.

Connectors, Model(s) 9111, followed by 5120A, followed by C or G, followed by 10, 30 or 50, followed by DU, followed by A004 or A006.

Connectors, Model(s) 9111, followed by 51240, followed by C or G, followed by 10, 30 or 50, followed by PU, followed by A001, A002 or A003.

Connectors, Model(s) 9111, followed by 5130, followed by C or G, followed by 10, 30 or 50, followed by D, followed by U, A001, A002, A004, A008 or A010.

Connectors, Model(s) 9111, followed by 5130, followed by C or G, followed by 10, 30 or 50, followed by PU, followed by A001, A002, A003, A004, A005, A006, A007, A008, A009, A010, A011, A012, A013, A014, A015, A016, A017, A019, A020, A021, A022, A023, A024, A025 or A027.

Connectors, Model(s) 9111, followed by 5130A, followed by C or G, followed by 10, 30 or 50, followed by D, followed by U, A003, A006, A007 or A009.

Connectors, Model(s) 9111, followed by 51330, followed by C or G, followed by 10, 30 or 50, followed by PUA001.

Connectors, Model(s) 9111, followed by 5160, followed by C or G, followed by 10, 30 or 50, followed by DU, followed by A001 or A003.

Connectors, Model(s) 9111, followed by 5160, followed by C or G, followed by 10, 30 or 50, followed by PU, followed by A001, A002, A003, A004, A005, A006, A007, A008, A009, A011, A012, A013, A014 or A015.

Connectors, Model(s) 9111, followed by 5160A, followed by C or G, followed by 10, 30 or 50, followed by DU, followed by A005, A006 or A011.

Connectors, Model(s) 9111, followed by 5160J, followed by C or G, followed by 10, 30 or 50, followed by PUA010.

Connectors, Model(s) 9111, followed by 5190, followed by C or G, followed by 10, 30 or 50, followed by DU, followed by A001 or A002.

Connectors, Model(s) 9111, followed by 5190A, followed by C or G, followed by 10, 30 or 50, followed by DUA003.

Connectors, Model(s) 9111, followed by 5190A, followed by C or G, followed by 10, 30 or 50, followed by PUA001.

Connectors, Model(s) 9111, followed by 5190J, followed by C or G, followed by 10, 30 or 50, followed by PUA002.

Connectors, Model(s) 9111, followed by 52, followed by 30, 60, 90, 120, 150, 180, 210, 240, 270, 300, 330, 360 or 390, followed by 1 or 2, followed by C or G, followed by 10, 30 or 50, followed by D or P, followed by U.

Connectors, Model(s) 9111, followed by 52120, followed by 1 or 2, followed by C or G, followed by 10, 30 or 50, followed by DU, followed by A001 or A002.

Connectors, Model(s) 9111, followed by 52120, followed by 1 or 2, followed by C or G, followed by 10, 30 or 50, followed by PUA001.

Connectors, Model(s) 9111, followed by 52150, followed by 1 or 2, followed by C or G, followed by 10, 30 or 50, followed by DU, followed by A001, A002 or A003.

Connectors, Model(s) 9111, followed by 52180, followed by 1 or 2, followed by C or G, followed by 10, 30 or 50, followed by DUA002.

Connectors, Model(s) 9111, followed by 52240, followed by 1 or 2, followed by C or G, followed by 10, 30 or 50, followed by DU, followed by A001 or A002.

Connectors, Model(s) 9111, followed by 52240, followed by 1 or 2, followed by C or G, followed by 10, 30 or 50, followed by PUA001.

Connectors, Model(s) 9111, followed by 5230, followed by 1 or 2, followed by C or G, followed by 10, 30 or 50, followed by DU, followed by A001, A002, A003, A004, A005, A006, A007, A008, A009.

Connectors, Model(s) 9111, followed by 52390, followed by 1 or 2, followed by C or G, followed by 10, 30 or 50, followed by PUA001.

Connectors, Model(s) 9111, followed by 5260, followed by 1 or 2, followed by C or G, followed by 10, 30 or 50, followed by DU, followed by A001 thru A015.

Connectors, Model(s) 9111, followed by 5260, followed by 1 or 2, followed by C or G, followed by 10, 30 or 50, followed by PU, followed by A001, A002 or A003.

Connectors, Model(s) 9111, followed by 5290, followed by 1 or 2, followed by C or G, followed by 10, 30 or 50, followed by DU, followed by A001, A002 or A003.

Connectors, Model(s) 9111, followed by 5290, followed by 1 or 2, followed by C or G, followed by 10, 30 or 50, followed by PU, followed by A001 or A002.

Connectors, Model(s) 9111, followed by 5310, followed by A, B or E, followed by C or G, followed by 10, 30 or 50, followed by D or P, followed by U.

Connectors, Model(s) 9111, followed by 5310, followed by C or G, followed by 10, 30 or 50, followed by DU, followed by A001, A002, A004, A005, A006, A008, A009 or A011.

Connectors, Model(s) 9111, followed by 5310, followed by C or G, followed by 10, 30 or 50, followed by PU, followed by A001, A003, A007, A008, A009, A010, A011, A012, A013, A014, A016 or A017.

Connectors, Model(s) 9111, followed by 5310A, followed by C or G, followed by 10, 30 or 50, followed by DU, followed by A003 or A007.

Connectors, Model(s) 9111, followed by 5410, followed by 1 or 2, followed by C or G, followed by 10, 30 or 50, followed by D or P, followed by U.

Connectors, Model(s) 9111, followed by 5410, followed by 1 or 2, followed by C or G, followed by 10, 30 or 50, followed by DU, followed by A001, A002 or A003.

Connectors, Model(s) 9111, followed by 5410, followed by 1 or 2, followed by C or G, followed by 10, 30 or 50, followed by PU, followed by A001 or A002.

Connectors, Model(s) 9111, followed by 71A154, followed by A thru Z, followed by C, G or CB, followed by 10 or 30, followed by U.

Connectors, Model(s) 9111, followed by 71A154, followed by C, G or CB, followed by 10 or 30, followed by U, followed by A001 thru A004.

Connectors, Model(s) 9111, followed by 71AB127, followed by A thru H, followed by C, G or CB, followed by 10 or 30, followed by U.

Connectors, Model(s) 9111, followed by 71AB146, followed by A thru F, followed by C, G or CB, followed by 10 or 30, followed by U.

Connectors, Model(s) 9111, followed by 71AB169, followed by A, B, C, D, E, F, G, H, I, J, K, L, M, N, P or Q, followed by C, G or CB, followed by 10 or 30, followed by U.

Connectors, Model(s) 9111, followed by 71B133, followed by A thru L, followed by C, G or CB, followed by 10 or 30, followed by U.

Connectors, Model(s) 9111, followed by 71B154, followed by A thru P, followed by C, G or CB, followed by 10 or 30, followed by U.

Connectors, Model(s) 9111, followed by 71B175, followed by A thru W, followed by C, G or CB, followed by 10 or 30, followed by U.

Connectors, Model(s) 9111, followed by 71B175, followed by C, G or CB, followed by 10 or 30, followed by UA001.

Connectors, Model(s) 9111, followed by 71C77, followed by A thru Q, followed by C, G or CB, followed by 10 or 30, followed by U.

Connectors, Model(s) 9111, followed by 71C77, followed by C, G or CB, followed by 10 or 30, followed by U, followed by A001 thru A004.

Connectors, Model(s) 9111, followed by 71CL77, followed by A, B, C, D, E, F, G, H or R, followed by C, G or CB, followed by 10 or 30, followed by U.

Connectors, Model(s) 9111, followed by 72A110, followed by 1, 2 or 3, followed by C or CB, followed by 10 or 30, followed by U, followed by A001, A002, A003, A011, A012, A021 or blank.

- Connectors**, Model(s) 9111, followed by 72AB, followed by 95, 110 or 125, followed by 1, 2 or 3, followed by C or CB, followed by 10 or 30, followed by U, followed by A011, A012, A021 or blank.
- Connectors**, Model(s) 9111, followed by 72B, followed by 95, 110 or 125, followed by 1, 2 or 3, followed by C or CB, followed by 10 or 30, followed by U, followed by A011, A012, A021 or blank.
- Connectors**, Model(s) 9111, followed by 72B125, followed by 1, 2 or 3, followed by C or CB, followed by 10 or 30, followed by UA015.
- Connectors**, Model(s) 9111, followed by 72C, followed by L or blank, followed by 55, followed by 1, 2 or 3, followed by C or CB, followed by 10 or 30, followed by U, followed by A001, A011, A012, A021 or blank.
- Connectors**, Model(s) 9111, followed by 190, followed by C or G, followed by 10, 30 or 50, followed by PU, followed by A003 or A004.
- Connectors**, Model(s) 9161-2110, followed by C or G, followed by 00, 10, 15 or 30, followed by P, followed by A or U.
- Connectors**, Model(s) 9161-2210, followed by C or G, followed by 00, 10, 15 or 30, followed by P, followed by A or U.
- Low voltage connectors**, Model(s) 2043-1XXGDP, 2043-1XXGS, 2043-2XXGDP, 2043-2XXGS, 2044-3*, 2047-1*, 2047-3*, 2115-2*, 2118-4*, 2143-1*, 2143-2*, 2149-2*, 2211-1&2*XXCD, 2212-2*XXCD, 2217-XX, 2242-2*, 2243-2*, 2245-1*, 2245-2*, 2246-2*, 2249-2*

Marking: Company name and model designation.

[Last Updated](#) on 2010-02-09

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

[Copyright ?2010 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2010 Underwriters Laboratories Inc.®"